



96700-1165.ST25.txt  
SEQUENCE LISTING

<110> Lawrence, David S  
<120> Protein Kinase Inhibitors and Methods for Identifying Same  
<130> 96700/1165  
<140> US 10/589,029  
<141> 2007-06-21  
<150> US 60/544,376  
<151> 2004-02-13  
<150> PCT/US05/004410  
<151> 2005-02-14  
<160> 17  
<170> PatentIn version 3.3  
<210> 1  
<211> 8  
<212> PRT  
<213> unknown  
<220>  
<223> sequence in protein kinase C-alpha inhibitor  
  
<220>  
<221> misc\_feature  
<222> (4)..(4)  
<223> X= any amino acid or amino acid mimetic  
  
<220>  
<221> misc\_feature  
<222> (5)..(5)  
<223> X= A or a Dap derivative  
  
<220>  
<221> misc\_feature  
<222> (6)..(6)  
<223> X= F, L or I  
  
<220>  
<221> misc\_feature  
<222> (7)..(7)  
<223> X= R or K  
  
<220>  
<221> misc\_feature  
<222> (8)..(8)  
<223> X= A or a Dap derivative  
  
<400> 1  
Ala Arg Arg Xaa Xaa Xaa Xaa Xaa  
1 5  
  
<210> 2  
<211> 9

<212> PRT  
 <213> unknown

<220>  
 <223> sequence in protein kinase C-alpha inhibitor

<220>  
 <221> misc\_feature  
 <222> (5)..(5)  
 <223> X = A or Dap

<220>  
 <221> misc\_feature  
 <222> (8)..(8)  
 <223> X = Q or Dap

<400> 2

Ala Arg Arg Gly Xaa Leu Arg Xaa Ala  
 1 5

<210> 3  
 <211> 5  
 <212> PRT  
 <213> unknown

<220>  
 <223> preferred consensus sequence for protein kinase C-alpha

<220>  
 <221> misc\_feature  
 <222> (4)..(4)  
 <223> X= F, L or I

<220>  
 <221> misc\_feature  
 <222> (5)..(5)  
 <223> X= R or K

<400> 3

Lys Gly Ser Xaa Xaa  
 1 5

<210> 4  
 <211> 6  
 <212> PRT  
 <213> unknown

<220>  
 <223> consensus sequence for protein kinase C-beta I, protein kinase C-beta II and protein kinase C-gamma.

<400> 4

Arg Lys Gly Ser Phe Lys  
 1 5

<210> 5  
<211> 5  
<212> PRT  
<213> unknown

<220>  
<223> consensus sequence for protein kinase C-delta

<220>  
<221> misc\_feature  
<222> (1)..(1)  
<223> X= K or Q

<220>  
<221> misc\_feature  
<222> (5)..(5)  
<223> X= F or M

<400> 5

Xaa Gly Ser Phe Xaa  
1 5

<210> 6  
<211> 5  
<212> PRT  
<213> unknown

<220>  
<223> consensus sequence for protein kinase C-epsilon

<220>  
<221> misc\_feature  
<222> (2)..(2)  
<223> X= M or K

<220>  
<221> misc\_feature  
<222> (4)..(4)  
<223> X= F or A

<220>  
<221> misc\_feature  
<222> (5)..(5)  
<223> X= G, Y, D or F

<400> 6

Lys Xaa Ser Xaa Xaa  
1 5

<210> 7  
<211> 6  
<212> PRT  
<213> unknown

<220>  
<223> consensus sequence for protein kinase C-eta

&lt;400&gt; 7

Arg Arg Ser Phe Arg Arg  
1 5<210> 8  
<211> 5  
<212> PRT  
<213> unknown<220>  
<223> consensus sequence for protein kinase C-zeta<220>  
<221> misc\_feature  
<222> (1)..(1)  
<223> X = R, Q, K or E<220>  
<221> misc\_feature  
<222> (2)..(2)  
<223> X = M or G<220>  
<221> misc\_feature  
<222> (4)..(5)  
<223> X = F or M

&lt;400&gt; 8

Xaa Xaa Ser Xaa Xaa  
1 5<210> 9  
<211> 5  
<212> PRT  
<213> unknown<220>  
<223> consensus sequence for protein kinase C-mu<220>  
<221> misc\_feature  
<222> (1)..(1)  
<223> X= Q, K, E or M<220>  
<221> misc\_feature  
<222> (4)..(4)  
<223> X= V, M or L<220>  
<221> misc\_feature  
<222> (5)..(5)  
<223> X= A, M or V

&lt;400&gt; 9

Xaa Met Ser Xaa Xaa

1

5

&lt;210&gt; 10

&lt;211&gt; 7

&lt;212&gt; PRT

&lt;213&gt; unknown

&lt;220&gt;

&lt;223&gt; consensus substrate sequence for protein kinase C-alpha

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (6)..(6)

&lt;223&gt; X= F, L or I

&lt;400&gt; 10

Arg Arg Lys Gly Ser Xaa Arg

1

5

&lt;210&gt; 11

&lt;211&gt; 5

&lt;212&gt; PRT

&lt;213&gt; unknown

&lt;220&gt;

&lt;223&gt; sequence of peptide substrate used for PKC alpha, beta and gamma assays

&lt;400&gt; 11

Ser Phe Arg Arg Arg

1

5

&lt;210&gt; 12

&lt;211&gt; 11

&lt;212&gt; PRT

&lt;213&gt; unknown

&lt;220&gt;

&lt;223&gt; sequence of peptide substrate for PKC epsilon and zeta assays

&lt;400&gt; 12

Pro Arg Lys Arg Glu Gly Ser Val Arg Arg Arg

1

5

10

&lt;210&gt; 13

&lt;211&gt; 9

&lt;212&gt; PRT

&lt;213&gt; unknown

&lt;220&gt;

&lt;223&gt; starting consensus sequence peptide for derivation of PKC inhibitors

&lt;400&gt; 13

Arg Arg Gln Gly Ala Phe Met Tyr Phe  
1 5

<210> 14  
<211> 12  
<212> PRT  
<213> unknown

<220>  
<223> sequence of peptide substrate for synthesis of PKC isoforms

<400> 14

Pro Arg Lys Arg Gln Gly Ser Val Arg Arg Arg Val  
1 5 10

<210> 15  
<211> 6  
<212> PRT  
<213> unknown

<220>  
<223> sequence for peptide substrate for PKC alpha, beta and gamma assays

<400> 15

Ser Phe Arg Arg Arg Arg  
1 5

<210> 16  
<211> 12  
<212> PRT  
<213> unknown

<220>  
<223> sequence for peptide substrate for PKC delta, epsilon, theta, eta, iota and zeta assays

<400> 16

Pro Arg Lys Arg Glu Gly Ser Val Arg Arg Arg Val  
1 5 10

<210> 17  
<211> 9  
<212> PRT  
<213> unknown

<220>  
<223> protein sequence in inhibitor of PKC

<220>  
<221> misc\_feature  
<222> (5)..(5)  
<223> X = a Dap derivative

<400> 17

96700-1165.ST25.txt

Arg Arg Gln Gly Xaa Phe Met Tyr Phe  
1 5